

SUNKOLL UNIVERSAL WALL PRIMER

Technical Data Sheet



नए भारत की नई ताकत

Interior/ Exterior Water Based Primer

How To Use



Usage :

- Imparts an aggressive, high tank finish and the treated surface
- Interior or Exterior
- Fast-drying sealing stain Blocker
- It is ideal or uses in Moisture prone Area

Application

- Apply **SUNKOLL UNIVERSAL WALL PRIMER** by brushing after suitable thinning with water.
- Allow drying for 4 mm then apply recommended coat

Coverage :

- 80 ft. to 90 ft. lit. Single Coat apros

Packaging :

- **SUNKOLL UNIVERSAL WALL PRIMER** is supplied in 1, 4 & 20 Ltr.

Benefits :

- Waterproofing Of All Types Of Exterior Surfaces And Interior Surfaces Like Parapet, Sunshades Exterior Plastered Surfaces, Concrete

www.sunkoll.com

Water Proofing Chemicals | Adhesives | Grouts/Epoxy Grouts | Wall Putty

Technical Specification

Appearance	Single Component Emulsion
UV Resistant-1000 Hrs. Exposure	No Defects
Drying Time	30 Minutes
Gravity	1.31 - 1.35
Algae and Fungus Resistant	No Growth
Crack Bridging Ability	Up to 2mm width
Tensile Strength	1.5 N/mm ²
Adhesion Strength	1.0 N/mm ²
Elongation	>100%
Water Permeability	6

SUNKOLL UNIVERSAL WALL PRIMER



नए भारत की नई ताकत



SUNKOLL Green Building Index :

SUNKOLL Range of Products are most eco-friendly and suitable to use in all kind of buildings including certified green. Apart from using best of international raw material for best performance, SUNKOLL procure the major raw material locally to safeguard environment.

SUNKOLL Quality & Safety Assurance

Products supplied are safe to use by any worker at site. However proper tools and safety measures must be in place for prolong working. The gloves, safety glasses and other protection measure must be followed as per local regulation.

Declaration :

All the above information and results are provided based on **SUNKOLL** internal quality test. Customer must check before using the product about performance and final expected results. **SUNKOLL** cannot be held responsible for any damage of whatsoever nature at site.

SUNKOLL INDUSTRIES LIMITED

Plot No. 62, Tarang Industrial Estate
Hadamtda Ta. Kotda Sangani N.H. 8-B
Rajkot(Gujarat) - 360 311

TECHNICAL SERVICES & CUSTOMER CARE : +91 70698 82251

TOLL FREE : 1800 890 2343

Email: sunkollindltd@gmail.com

www.sunkoll.com

Water Proofing Chemicals | Adhesives | Grouts/Epoxy Grouts | Wall Putty