

# SUNKOLL GEL TILES ADHESIVE

## Technical Data Sheet

**SUNKOLL**<sup>®</sup>  
ABILITY ♦ STABILITY ♦ DURABILITY

नए भारत की नई ताकत

### How To Use



### Application Areas

- Tiles or Stone On Wood
- Tiles on Steel and Aluminum
- Tiles on Cement Sheet
- Cement Article to Cement Article
- Artificial Marble to Cement Wall

### Features

- Suitable For Fixing Vitrified Tile For Floor & Wall
- Single Part Acrylic Adhesive
- Very Good Strength
- Used For Spot Bonding
- Excellent Squeezability
- Fast Cure

### Application Procedure :

- Properly Mixed and then applied.
- Do Not Open More Time

### Packaging :

- SUNKOLL GEL TILES ADHESIVE is supplied in 5 & 20 kg. pack.

[www.sunkoll.com](http://www.sunkoll.com)

Water Proofing Chemicals | Adhesives | Grouts/Epoxy Grouts | Wall Putty

### Technical Information

PROPERTIES	RESULT
Compressive Strength	>20N/mm <sup>2</sup> after 24hr
	>75N/mm <sup>2</sup> after 7 day
Shear Strength	>13/mm <sup>2</sup>
Squeezability	Meet the requirements
Colour Base	white
Open Time	20 Minutes
Chemical Base	Acrylic
Tensile Strength Din 53504	1.5 N/mm <sup>2</sup>
Initial Setting Time	1 Hour
Final Setting Time	Depend on WaterAbsorb Surface



### **SUNKOLL Green Building Index :**

SUNKOLL Range of Products are most eco-friendly and suitable to use in all kind of buildings including certified green. Apart from using best of international raw material for best performance, SUNKOLL procure the major raw material locally to safeguard environment.

### **SUNKOLL Quality & Safety Assurance**

Products supplied are safe to use by any worker at site. However proper tools and safety measures must be in place for prolong working. The gloves, safety glasses and other protection measure must be followed as per local regulation.

### **Declaration :**

All the above information and results are provided based on **SUNKOLL** internal quality test. Customer must check before using the product about performance and final expected results. **SUNKOLL** cannot be held responsible for any damage of whatsoever nature at site.

## **SUNKOLL INDUSTRIES LIMITED**

Plot No. 62, Tarang Industrial Estate  
Hadamtda Ta. Kotda Sangani N.H. 8-B  
Rajkot(Gujarat) - 360 311

**TECHNICAL SERVICES & CUSTOMER CARE : +91 70698 82251**

**TOLL FREE : 1800 890 2343**

**Email: [sunkollindltd@gmail.com](mailto:sunkollindltd@gmail.com)**